

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	26371	709/203,206,217,219,220.cds.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L6	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L7	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L8	44	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L9	14	L8 same server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L10	6	L8 with server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L11	19	L5 and L8	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L12	9	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L13	8	L12 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L14	16	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L15	27	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L16	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L17	47	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L18	0	L15 and L17	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L19	121	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L20	1	L15 and L19	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L21	545	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L22	3949	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L23	16	L21 and L22 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L24	17	L21 and L22	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L25	8	L23 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55

L26	15	("5050066"   "5195089"   "5287453"   "5335347"   "5367673"   "5367681").PN. OR ("5619697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L27	24969	classif\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L28	0	L26 and L27	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 19:55
L29	0	L26 and classif\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 19:55
L30	545	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L31	3949	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L32	16	L30 and L31 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L33	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L34	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L35	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L36	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L37	6	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L38	6	L37 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L39	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L40	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L41	1	L40 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L42	30	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L43	30	L42 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L44	19	L42 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L45	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L46	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L47	1	L46 and rule	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L48	1	L45 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55

L49	1	L45 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L50	13	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L51	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L52	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L53	28456	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L54	1	L53 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L55	2	L53 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L56	2	L53 and L55 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L57	2	L56 and port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L58	1	L57 and udp	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L59	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L60	1190	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L61	793	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L62	141	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L63	84	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L64	1071	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L65	2	L64 and L63	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L66	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/12/15 19:55
L67	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/12/15 19:55
L68	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L69	17	L68 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L70	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L71	7	L70 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L72	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L73	4368	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55

L74	47	L73 near2 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L75	1	L74 same classif\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L76	1	L74 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L77	4	L74 and classif\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L78	26371	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L79	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L80	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L81	44	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L82	14	L81 same server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L83	6	L81 with server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L84	19	L78 and L81	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L85	9	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L86	8	L85 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L87	16	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L88	27	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L89	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L90	47	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L91	0	L88 and L90	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L92	121	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L93	1	L88 and L92	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L94	545	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L95	3949	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L96	16	L94 and L95 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L97	17	L94 and L95	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55

L98	8	L96 and client and server and request \$5 and classif\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L99	15	("5050066"   "5195089"   "5287453"   "5335347"   "5367673"   "5367681"). PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L100	24969	classif\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L101	0	L99 and L100	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 19:55
L102	0	L99 and classif\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 19:55
L103	545	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L104	3949	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L105	16	L103 and L104 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/12/15 19:55
L106	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L107	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L108	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L109	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L110	6	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L111	6	L110 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L112	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L113	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L114	1	L113 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L115	30	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L116	30	L115 and ad< "20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L117	19	L115 and @ad< "20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L118	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L119	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55

L120	1	L119 and rule	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L121	1	L118 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L122	1	L118 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L123	13	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L124	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L125	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L126	28456	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L127	1	L126 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L128	2	L126 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L129	2	L126 and L128 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L130	2	L129 and port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L131	1	L130 and udp	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L132	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L133	1190	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L134	793	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L135	141	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L136	84	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L137	1071	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L138	2	L137 and L136	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L139	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/12/15 19:55
L140	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/12/15 19:55
L141	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L142	17	L141 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L143	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L144	7	L143 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55

L145	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L146	4368	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L147	47	L146 near2 message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L148	1	L147 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L149	1	L147 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L150	4	L147 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L151	0	classif\$8 near message near4 "at the client"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L152	25	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L153	14	L152 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L154	4	L153 and classif\$8 near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L155	12	L153 and classif\$8 and client near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L156	11	("20020083175"   "20020198950"   "20040148358"   "20040181581"   "6195698"   "6199102"   "6321267"   "6546416"   "6691156"   "7213260"   "7249175").PN. OR ("7398315"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L157	1	L156 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 19:55
L158	2	L156 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 19:55
L159	25	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L160	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L161	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L162	2331	(dunigan ellesson berthold heisig).inv.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L163	3	L162 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L164	7	"20030152035" "2002078192" "20020083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L165	1	"2002078192"	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L166	3	L164 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55

L167	1	"7299261".pn.	US-PGPUB; USPAT; USOOR	OR	ON	2008/12/15 19:55
L168	23	L159 and client and server and client near12 classif\$8 and client near412 server	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L169	15	L168 and (policy rule)	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
L170	16	L168 and (compar\$5 pars\$5)	US-PGPUB; USPAT	OR	ON	2008/12/15 19:55
S1	20693	709/203,206,217,219,220.cds.	US-PGPUB; USPAT	OR	ON	2007/07/06 00:05
S2	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2007/07/06 00:07
S3	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2007/07/06 00:11
S4	33	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2007/07/06 00:11
S5	10	S4 same server	US-PGPUB; USPAT	OR	ON	2007/07/06 00:12
S6	6	S4 with server	US-PGPUB; USPAT	OR	ON	2007/07/07 11:42
S7	13	S1 and S4	US-PGPUB; USPAT	OR	ON	2007/07/06 00:31
S8	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:04
S9	7	S8 and updat\$5	US-PGPUB; USPAT	OR	ON	2007/07/07 12:04
S10	11	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2007/07/07 12:29
S11	19	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2007/07/07 12:30
S12	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:31
S13	35	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S14	0	S11 and S13	US-PGPUB; USPAT	OR	ON	2007/07/07 12:48
S15	91	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S16	1	S11 and S15	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S17	431	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:08
S18	3293	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:08
S19	15	S17 and S18 and updat\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:09



S20	16	S17 and S18	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:09
S21	7	S19 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:10
S22	13	("5050066"   "5195089"   "5287453" "5335347"   "5367673"   "5367681"). PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/07 13:28
S23	18105	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/07 13:29
S24	0	S22 and S23	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/07 13:30
S25	0	S22 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/07 13:30
S26	431	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S27	3293	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S28	15	S26 and S27 and updat\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S29	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S30	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S31	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S32	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2007/07/07 14:54
S33	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2007/07/07 15:10
S34	5	S33 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2007/07/07 15:11
S35	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2007/07/08 00:22
S36	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2007/07/08 00:27
S37	1	S36 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2007/07/08 00:28
S38	27	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/01/31 12:44
S39	27	S38 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/01/31 12:45
S40	18	S38 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/01/31 12:45
S42	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 12:26
S43	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/02/02 12:28

S44	1	S43 and rule	US-PGPUB; USPAT	OR	ON	2008/02/02 12:51
S45	1	S42 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/02/02 13:06
S46	1	S42 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 13:27
S47	9	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/02/02 14:58
S48	11	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:01
S49	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:12
S50	25561	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S51	1	S50 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S52	2	S50 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S53	2	S50 and S52 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:15
S54	2	S53 and port	US-PGPUB; USPAT	OR	ON	2008/02/02 15:19
S55	1	S54 and udp	US-PGPUB; USPAT	OR	ON	2008/02/02 15:24
S56	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:27
S57	1036	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:27
S58	718	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:28
S59	127	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:28
S60	76	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:33
S61	897	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/02/02 15:34
S62	2	S61 and S60	US-PGPUB; USPAT	OR	ON	2008/02/02 15:34
S63	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/02/02 15:35
S64	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/02/02 15:35
S65	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:47
S66	17	S65 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 15:56
S67	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:35
S68	7	S67 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 16:35

S69	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/02/02 16:36
S70	3954	(adjust\$5 near modit\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/02/02 16:37
S71	40	S70 near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S72	1	S71 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S73	1	S71 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S74	3	S71 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S75	22745	709/203,206,217,219,220.cds.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S76	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S77	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S78	39	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S79	12	S78 same server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S80	6	S78 with server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S81	16	S75 and S78	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S82	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S83	7	S82 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S84	13	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S85	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S86	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S87	41	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S88	0	S85 and S87	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S89	102	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S90	1	S85 and S89	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S91	470	classif\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S92	3550	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45

S93	16	S91 and S92 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S94	17	S91 and S92	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S95	8	S93 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S96	14	("5050066"   "5195089"   "5287453" "5335347"   "5367673"   "5367681").PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/02 19:45
S97	20641	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/02 19:45
S98	0	S96 and S97	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/02 19:45
S99	0	S96 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/02 19:45
S100	470	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S101	3550	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S102	16	S100 and S101 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S103	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S104	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S105	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S106	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S107	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S108	5	S107 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S109	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S110	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S111	1	S110 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S112	27	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S113	27	S112 and ad< "20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S114	18	S112 and @ad< "20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45

S115	1	"6161130" pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S116	1	"6161130" pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S117	1	S116 and rule	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S118	1	S115 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S119	1	S115 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S120	9	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S121	11	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S122	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S123	25561	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S124	1	S123 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S125	2	S123 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S126	2	S123 and S125 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S127	2	S126 and port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S128	1	S127 and udp	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S129	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S130	1036	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S131	718	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S132	127	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S133	76	(rule.policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S134	897	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S135	2	S134 and S133	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S136	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/02/02 19:45
S137	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/02/02 19:45
S138	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S139	17	S138 and @ad< "20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45

S140	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S141	7	S140 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S142	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S143	3954	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S144	40	S143 near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S145	1	S144 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S146	1	S144 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S147	3	S144 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S148	0	classif\$8 near message near4 "at the client"	US-PGPUB; USPAT	OR	ON	2008/12/15 14:48
S149	25	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 14:49
S150	14	S149 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/12/15 14:49
S151	4	S150 and classif\$8 near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 15:04
S152	12	S150 and classif\$8 and client near12 server	US-PGPUB; USPAT	OR	ON	2008/12/15 15:11
S153	11	("20020083175"   "20020198950"   "20040148358"   "20040181581"   "6195698"   "6199102"   "6321267"   "6546416"   "6691156"   "7213260"   "7249175").PN. OR ("7398315"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 16:12
S154	1	S153 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/15 16:13
S155	2	S153 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 16:13
S156	25	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2008/12/15 16:29
S157	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 16:51
S158	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2008/12/15 16:51
S159	2331	(dunigan elleson berthold heisig).inv.	US-PGPUB; USPAT	OR	ON	2008/12/15 16:53
S160	3	S159 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 16:54
S161	7	"20030152035" "20020078192" "20020083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 16:54

S162	1	"20020078192"	US-PGPUB; USPAT	OR	ON	2008/12/15 16:57
S163	3	S161 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2008/12/15 16:59
S164	1	"7299261".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 17:02
S165	23	S156 and client and server and client near12 classif\$8 and client near412 server	US-PGPUB; USPAT	OR	ON	2008/12/15 17:17
S166	15	S165 and (policy rule)	US-PGPUB; USPAT	OR	ON	2008/12/15 17:20
S167	16	S165 and (compar\$5 pars\$5)	US-PGPUB; USPAT	OR	ON	2008/12/15 17:21

12/15/08 8:00:42 PM

C:\Documents and Settings\esall\My Documents\EAST\Workspaces\694141.wsp